

# ***DATUM-A-INDUSTRIES***



## ***2011 PRICE LIST***

QUANTITY DISCOUNTS ON JOHNSON BLOCKS, HEADER MANIFOLDS AND JUNCTION BLOCKS

6-14 = -5%  
15-24 = -7.5%  
25-49 = -10%  
50+ = CONSULT FACTORY

PRICES ARE EFFECTIVE THROUGH 12/31/11 - PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE - PRICE LIST IS AVAILABLE ONLINE OR REQUEST MORE FROM DATUM-A OR YOUR LOCAL DISTRIBUTOR

---

**DATUM-A-INDUSTRIES, INC.** PO BOX 218, 1410 COUNTY RD 90, MAPLE PLAIN, MN 55359  
Ph: (800) 806-6162, (763) 479-1133 Fx: (763) 479-3667 Email: [info@datum-manifolds.com](mailto:info@datum-manifolds.com)  
Website: [www.datum-manifolds.com](http://www.datum-manifolds.com)

# JOHNSON BLOCKS

# ORIFICES AND PLUGS

PART #	PRICE
DA1100	20.26
DA1101	23.75
DA1102	24.17
DA1103	27.26
DA1104	27.78
DA1105	30.8
DA1106	32.4
DA1107	38.02
DA1108	38.68
DA1109	43.63
DA1110	44.43
DA1111	49.28
DA1112	27.72
DA1113	18.54
DA1114	17.34
DA1115	12.97
DA1116	11.75
DA1117	24.66
DA1118	24.66
DA1119	37.94
DA1120	47.2
DA1121	52.32
DA1122	50.51
DA1123	60.97
DA1124	72.32
DA1125	29.72
DA1126	35.26
DA1127	15.72
DA1128	13.88
DA1129	14.57
DA1130	36.02
DA1131	15.88
DA1132	123.72
DA1133	118.06
DA1134	102.32
DA1135	97.77
DA1136	20.08
DA1137	29.48
DA1138	31.51
DA1139	56.66
DA1140	30.89
DA1141	30.89

PART #	QUANTITIES								
	1	5	10	25	50	100	250	500	1000
DA2004	13.00	7.68	6.10	5.18	4.27	3.60	3.35	3.17	3.05
DA2006	13.00	7.68	6.10	5.18	4.27	3.60	3.35	3.17	3.05
DA2008	15.00	9.17	7.28	6.19	5.10	4.30	4.01	3.79	3.64
DA2010	17.00	11.17	9.28	8.19	7.10	6.30	4.51	3.99	3.79
DA2012	20.00	14.17	12.28	11.19	10.10	9.30	7.51	6.99	6.79
DA3004	13.00	8.19	6.50	5.52	4.55	3.84	3.58	3.38	3.25
DA3006	13.00	8.19	6.50	5.52	4.55	3.84	3.58	3.38	3.25
DA3008	10.00	6.30	5.00	4.25	3.50	2.95	2.75	2.60	2.50
DA4000	5.00	2.65	2.11	1.79	1.48	1.25	1.16	1.10	1.06
DA4001	5.00	2.60	2.06	1.75	1.44	1.22	1.14	1.08	1.03
DA4002	5.00	2.86	2.27	1.93	1.59	1.34	1.25	1.18	1.14
DA4003	6.00	3.42	2.72	2.31	1.90	1.61	1.50	1.42	1.36
DA4004	8.00	4.92	3.91	3.32	2.74	2.31	2.15	2.03	1.96
DA4005	13.00	7.76	6.16	5.24	4.31	3.64	3.39	3.20	3.08
DA5000	7.00	4.35	3.45	2.93	2.42	2.04	1.90	1.80	1.73
DA5001	9.00	5.10	4.05	3.44	2.83	2.39	2.23	2.11	2.03
DA5002	12.00	7.23	5.74	4.88	4.02	3.39	3.16	2.98	2.87
DA5003	21.00	12.91	10.25	8.71	7.17	6.05	5.64	5.33	5.12
DA5004	33.00	20.32	16.13	13.71	11.29	9.52	8.87	8.39	8.07
DA6002	1.30	0.71	0.57	0.48	0.40	0.33	0.31	0.29	0.28
DA6004	1.30	0.81	0.64	0.55	0.45	0.38	0.36	0.34	0.33
DA6006	1.95	1.06	0.85	0.72	0.59	0.50	0.47	0.44	0.42
DA6008	3.25	1.83	1.46	1.24	1.02	0.86	0.80	0.76	0.73
DA6010	3.25	2.02	1.61	1.37	1.12	0.95	0.88	0.83	0.81
DA6012	5.85	3.46	2.74	2.33	1.92	1.62	1.51	1.43	1.37
DA6016	7.80	4.91	3.90	3.32	2.73	2.30	2.15	2.03	1.95
DA6020	16.90	10.62	8.43	7.17	5.90	4.98	4.64	4.39	4.22
DA7000	1.30	0.68	0.54	0.46	0.38	0.32	0.30	0.28	0.27
DA7001	1.95	0.87	0.69	0.59	0.48	0.41	0.38	0.36	0.34
DA7002	1.95	1.15	0.91	0.77	0.64	0.54	0.50	0.47	0.46
DA7003	2.60	1.50	1.20	1.01	0.84	0.71	0.66	0.62	0.60
DA7004	4.55	2.63	2.09	1.77	1.46	1.24	1.15	1.09	1.05
DA7005	7.15	4.34	3.44	2.93	2.41	2.03	1.89	1.79	1.72
DA7006	15.60	9.71	7.71	6.55	5.40	4.55	4.24	4.01	3.85
DA7007	76.70	48.18	38.25	32.51	26.77	22.57	21.03	19.89	19.12

## HEADER MANIFOLDS

PART #	NPT OUTLET SIZE						SAE OUTLET SIZE					
	-1/8	-1/4	-3/8	-1/2	-3/4	-1	-2	-4	-6	-8	-12	-16
HA000-02	7.23	8.20	12.14	23.14	50.76	61.65	7.23	8.20	12.14	23.14	50.76	61.65
HA000-04	8.96	9.57	14.08	36.74	85.90	104.32	8.96	9.57	14.08	36.74	85.90	104.32
HA000-06	10.11	10.91	15.50	51.72	120.93	146.86	10.11	10.91	15.50	51.72	120.93	146.86
HA000-08	11.20	12.19	20.87	68.31	157.85	191.70	11.20	12.19	20.87	68.31	157.85	191.70
HA000-10	12.00	13.11	21.83	82.57	202.42	245.83	12.00	13.11	21.83	82.57	202.42	245.83
HA090-02	9.04	10.25	15.18	28.93	63.45	77.06	9.04	10.25	15.18	28.93	63.45	77.06
HA090-04	11.20	11.97	17.60	45.95	107.38	130.41	11.20	11.97	17.60	45.95	107.38	130.41
HA090-06	12.64	13.63	19.38	64.65	151.17	183.59	12.64	13.63	19.38	64.65	151.17	183.59
HA090-08	14.00	15.24	26.09	85.39	197.32	239.63	14.00	15.24	26.09	85.39	197.32	239.63
HA090-10	15.00	16.39	27.29	103.22	253.03	307.29	15.00	16.39	27.29	103.22	253.03	307.29
HA180-02	9.62	10.91	16.15	30.78	67.52	82.00	9.62	10.91	16.15	30.78	67.52	82.00
HA180-04	11.92	12.73	18.76	48.87	114.25	138.75	11.92	12.73	18.76	48.87	114.25	138.75
HA180-06	13.45	14.51	20.62	68.79	160.84	195.33	13.45	14.51	20.62	68.79	160.84	195.33
HA180-08	14.90	16.22	27.76	90.86	209.95	254.97	14.90	16.22	27.76	90.86	209.95	254.97
HA180-10	15.96	17.44	29.04	109.82	269.22	326.95	15.96	17.44	29.04	109.82	269.22	326.95
HA270-02	10.49	11.89	17.61	33.56	73.61	89.40	10.49	11.89	17.61	33.56	73.61	89.40
HA270-04	13.00	13.88	20.42	53.27	124.56	151.27	13.00	13.88	20.42	53.27	124.56	151.27
HA270-06	14.66	15.82	22.48	75.00	175.35	212.95	14.66	15.82	22.48	75.00	175.35	212.95
HA270-08	16.24	17.68	30.27	99.05	228.89	277.97	16.24	17.68	30.27	99.05	228.89	277.97
HA270-10	17.40	19.01	31.66	119.73	293.51	356.45	17.40	19.01	31.66	119.73	293.51	356.45
HS000-02	9.89	12.28	16.90	35.68	92.98	112.92	9.89	12.28	16.90	35.68	92.98	112.92
HS000-04	12.26	13.81	18.82	41.16	127.78	155.18	12.26	13.81	18.82	41.16	127.78	155.18
HS000-06	13.53	15.63	20.74	52.79	149.93	182.07	13.53	15.63	20.74	52.79	149.93	182.07
HS000-08	14.99	17.35	25.44	68.27	193.54	235.03	14.99	17.35	25.44	68.27	193.54	235.03
HS000-10	16.06	18.56	29.16	79.26	225.50	273.85	16.06	18.56	29.16	79.26	225.50	273.85
HS090-02	12.36	15.35	21.12	45.59	116.19	141.10	12.36	15.35	21.12	45.59	116.19	141.10
HS090-04	15.32	17.26	23.52	51.44	159.68	193.92	15.32	17.26	23.52	51.44	159.68	193.92
HS090-06	16.91	19.54	25.92	65.97	187.36	227.53	16.91	19.54	25.92	65.97	187.36	227.53
HS090-08	18.74	21.69	31.79	85.31	241.85	293.69	18.74	21.69	31.79	85.31	241.85	293.69
HS090-10	20.07	23.20	36.44	99.05	281.79	342.20	20.07	23.20	36.44	99.05	281.79	342.20
HS180-02	13.17	16.35	22.50	48.56	123.75	150.28	13.17	16.35	22.50	48.56	123.75	150.28
HS180-04	16.32	18.39	25.05	54.79	170.06	206.52	16.32	18.39	25.05	54.79	170.06	206.52
HS180-06	18.01	20.82	27.61	70.26	199.54	242.32	18.01	20.82	27.61	70.26	199.54	242.32
HS180-08	19.96	23.10	33.86	90.86	257.58	312.80	19.96	23.10	33.86	90.86	257.58	312.80
HS180-10	21.38	24.71	38.81	105.49	300.11	364.45	21.38	24.71	38.81	105.49	300.11	364.45
HS270-02	14.34	17.81	24.50	51.73	134.79	163.79	14.34	17.81	24.50	51.73	134.79	163.79
HS270-04	17.78	20.02	27.29	59.67	185.24	224.96	17.78	20.02	27.29	59.67	185.24	224.96
HS270-06	19.62	22.66	30.07	76.53	217.34	263.94	19.62	22.66	30.07	76.53	217.34	263.94
HS270-08	21.73	25.16	36.88	98.97	280.56	340.71	21.73	25.16	36.88	98.97	280.56	340.71
HS270-10	23.29	26.90	42.28	114.90	326.89	396.91	23.29	26.90	42.28	114.90	326.89	396.91

**DATUM-A-INDUSTRIES, INC.** PO BOX 218, 1410 COUNTY RD 90, MAPLE PLAIN, MN 55359

Ph: (800) 806-6162, (763) 479-1133 Fx: (763) 479-3667 Email: info@datum-manifolds.com

Website: www.datum-manifolds.com

## JUNCTION BLOCKS

PART #	NPT OUTLET SIZE						SAE OUTLET SIZE					
	-1/8	-1/4	-3/8	-1/2	-3/4	-1	-2	-4	-6	-8	-12	-16
JA090-02	8.59	9.74	14.42	27.48	60.27	73.20	8.59	9.74	14.42	27.48	60.27	73.20
JA090-04	10.64	11.37	16.72	43.62	101.98	123.24	10.64	11.37	16.72	43.62	101.98	123.24
JA090-06	12.01	12.96	18.41	61.41	143.57	174.36	12.01	12.96	18.41	61.41	143.57	174.36
JA090-08	13.30	14.49	24.78	81.10	187.40	227.59	13.30	14.49	24.78	81.10	187.40	227.59
JA090-10	14.25	15.58	25.92	98.03	240.31	291.84	14.25	15.58	25.92	98.03	240.31	291.84
JA180-02	9.16	10.39	15.39	29.32	64.31	78.10	7.24	8.21	12.15	23.15	50.77	61.66
JA180-04	11.36	12.13	17.84	46.55	108.83	132.17	8.97	9.58	14.09	36.75	85.91	104.33
JA180-06	12.81	13.83	19.64	65.53	153.22	186.08	10.11	10.91	15.51	51.73	120.94	146.87
JA180-08	14.19	15.45	26.45	86.55	199.99	242.88	11.21	12.20	20.88	68.32	157.86	191.71
JA180-10	15.21	16.61	27.66	104.62	256.46	311.45	12.01	13.12	21.84	82.58	202.43	245.84
JA270-02	9.96	11.30	16.73	31.88	69.92	84.92	9.05	10.26	15.19	28.94	63.46	77.07
JA270-04	12.35	13.19	19.40	50.61	118.33	143.71	11.20	11.97	17.61	45.96	107.39	130.42
JA270-06	13.93	15.03	21.36	71.25	166.58	202.30	12.65	13.64	19.39	64.66	151.18	183.60
JA270-08	15.43	16.80	28.75	94.10	217.43	264.05	14.01	15.25	26.10	85.40	197.33	239.64
JA270-10	16.53	18.06	30.07	113.74	278.82	338.61	15.01	16.40	27.30	103.23	253.04	307.30
JS090-02	11.75	14.59	20.07	43.32	110.39	134.06	9.63	10.92	16.16	30.79	67.53	82.01
JS090-04	14.56	16.40	22.35	48.87	151.70	184.23	11.93	12.74	18.77	48.88	114.26	138.76
JS090-06	16.07	18.57	24.63	62.68	178.00	216.16	13.46	14.52	20.63	68.80	160.85	195.34
JS090-08	17.81	20.61	30.21	81.05	229.76	279.02	14.91	16.23	27.77	90.87	209.96	254.98
JS090-10	19.07	22.04	34.62	94.10	267.71	325.10	15.97	17.45	29.05	109.83	269.23	326.96
JS180-02	12.53	15.55	21.39	46.16	117.63	142.85	10.50	11.90	17.62	33.57	73.62	89.41
JS180-04	15.52	17.48	23.83	52.08	161.65	196.31	13.00	13.88	20.43	53.28	124.57	151.28
JS180-06	17.13	19.79	26.25	66.79	189.67	230.33	14.67	15.83	22.49	75.01	175.36	212.96
JS180-08	18.98	21.97	32.19	86.37	244.82	297.31	16.25	17.69	30.28	99.06	228.90	277.98
JS180-10	20.32	23.49	36.89	100.27	285.26	346.42	17.41	19.02	31.67	119.74	293.52	356.46
JS270-02	13.65	16.94	23.30	50.27	128.09	155.55	9.90	12.29	16.91	35.69	92.99	112.93
JS270-04	16.90	19.04	25.95	56.71	176.02	213.76	12.27	13.82	18.83	41.17	127.79	155.19
JS270-06	18.65	21.55	28.58	72.74	306.52	250.80	13.54	15.64	20.75	52.80	149.94	182.08
JS270-08	22.67	23.93	35.05	94.05	266.57	323.72	14.100	17.36	25.45	68.28	193.55	235.04
JS270-10	24.13	25.58	40.17	109.18	310.61	377.20	16.07	18.57	29.17	79.27	225.51	273.86